



**Figure 2**



Many drop gates use a pin or similar object attached to a cable to hold the trap gate open (A). The cable can be slid through a conduit to the back of the trap, where it is attached to a trigger system (B). Trigger systems vary in design. (Source: Terry Gallagher)

animals such as deer, calves, and other wildlife and livestock.

- They may catch only one or two adult pigs. Other approaches are needed to capture larger groups of pigs.

### Trap design

Box traps come in a variety of designs and shapes. Most are built from livestock panels with steel pipe or angle iron frames. Because most traps are built by the users, they differ greatly in size, portability, door configuration, flooring, and roofing. In some areas, ready-to-use box

traps and different styles of gates can be bought.

A common design is a 4- by 8-foot, heavy-duty cage (Fig. 1). This trap is typically 3 to 4 feet tall, and a top is recommended to keep the hogs from crowding in the corners and climbing out. If the trap is fully enclosed with a top and a floor, the trapper may be able to transport a live hog without removing it from the trap.

However, all box traps—particularly those without floors—require T-posts to anchor them, adding materials that increase the cost and may deter a hog from entering the trap.

**Figure 3**



Common box trap designs featuring a lifting (top-hinged) gate (A) or a swing (side-hinged) gate (B).

**Figure 4**



Box traps with spring-loaded swing gate entries (A and B). This door design allows for additional captures as the hogs push their way into the trap. Box traps with lifting gate entries (C and D). The doors of these two traps have only one panel. Consequently, trapped animals may escape while other hogs moving into the trap lift the door to enter. Box traps with lifting gate entries and multiple panels (E and F). Multiple door panels allow additional hogs to enter the trap while reducing the chance of escape by previously captured hogs.

### Gate design

The gate should be designed to prevent captured hogs from escaping through the trap entrance. Three gate designs are among those most commonly used for box traps:

- Sliding drop gates use a trip wire to trigger the door to fall (Fig. 2). One drawback of

guillotine gate box traps is that they do not allow additional pigs to enter once the trap has been sprung.

- Lifting (top-hinged) gates require that a hog use its nose to root or lift open the door.
- Spring-loaded swing gates use a heavy spring to close the door after the hog pushes its way into the trap (Fig. 3).

**Figure 5**

**A landowner inspects a finished box trap deployed in an open area with scattered brush cover. This model has a guillotine gate and is set using a cable and pin system attached to a trigger near the back of the trap.**

*(Source: Terry Gallagher).*



Swing and lifting gates offer the advantage of allowing more than one hog to be trapped at a time (Fig. 4). The first captured hog may serve as a lure to attract additional hogs.

However, only one or two adult pigs typically are trapped at a time, because the box trap is small. Sometimes a litter of small pigs may be captured.

### **Trap placement**

Place the box trap near a creek, pond, or other watering location, particularly if these are near bedding or feeding areas. Areas with brush are also good (Fig. 5). Feral hog trails are ideal locations for trap placement. To attract the animals to the bait, set the trap upwind of an area frequented by hogs.

A game camera can help determine hog behavior in the area and identify optimal locations for trap placement.

### **Pre-baiting**

Trapping feral hogs is a process, not an event. Box traps must be pre-baited to attract feral hogs and accustom them to the traps before they are set. Place the bait inside the trap near the gate, but do not set the trap until the hogs are traveling in and out of the trap.

### **Regulations**

The Texas Animal Health Commission regulates the holding of feral hogs and their transport from the property where they were captured. If you will transport captured hogs to slaughter or a holding facility, follow the appropriate state regulations.

For information on these regulations, see [http://www.tahc.state.tx.us/animal\\_health/swine/swine.html](http://www.tahc.state.tx.us/animal_health/swine/swine.html).

### **Summary**

Box traps can be an effective tool as part of a broader feral hog management strategy. Consider using them for removing one or two adult animals at a time.

---

#### **Acknowledgment and disclaimer**

This publication was developed as part of the Plum Creek Watershed Feral Hog Project, with funding support from the U.S. Environmental Protection Agency through a Clean Water Act §319(h) Nonpoint Source grant administered by the Texas State Soil and Water Conservation Board and from the Cooperative State Research, Education, and Extension Service, U.S. Department of Agriculture (USDA), National Integrated Water Quality Program. Any opinions, findings, conclusions, or recommendations expressed in this publication are those of the author(s) and do not necessarily reflect the view of the USDA.



The information given herein is for educational purposes only. Reference to commercial products or trade names is made with the understanding that no discrimination is intended and no endorsement by the Texas A&M AgriLife Extension Service is implied.

#### **Texas A&M AgriLife Extension Service**

*AgriLifeExtension.tamu.edu*

More Extension publications can be found at *AgriLifeBookstore.org*

Educational programs of the Texas A&M AgriLife Extension Service are open to all people without regard to race, color, sex, disability, religion, age, or national origin.

The Texas A&M University System, U.S. Department of Agriculture, and the County Commissioners Courts of Texas Cooperating.

Produced by Texas A&M AgriLife Communications